Subject Index

A

Acrylic resins, development of high performance waterborne coatings
  characterization of coatings and cured film, 265
  emuisification of epoxy resin, 253
  factors affecting adhesion performance, 260
Acrylic rubber, rheological behavior and processability, 1002
Acrylonitrile-acrylic elastomer-styrene terpolymer, injection molding, thermal stability, analysis, 607
Adhesion, effect on fracture toughness, calcium carbonate-filled PP, 559
Alkylenearomatic polyesters, liquid crystalline, rheology and structure, 889
"All trans" UP, compared with chemically synthesized and industrial polyesters, 311
Amine functionalized ethylene-propylene polymer, impact toughened blends, 721
Aniline polymer, electronic structure, surface analytical and electro-optical investigations, 736
Arrhenius and density of state model, poly(N-vinyl carbazole), temperature dependent DC dark conductivity, 501
Asymptotic analysis, estimation of critical stability parameters, multilayer extrusion, 1532
Automotive bumpers, thermoplastic, energy absorbing double-beam concept, 1381

B

Biodegradation, PE, DSC and FTIR characterization, 1507
Bismaleimide-based resin systems, glass transition temperatures, 614
Block copolymers see Functionalized styrenic block copolymers
Blow molding
  injection, experimental study and finite element analysis, 1279
  on-line prediction of final part dimensions, neural network computing approach, 653
Boundary element study, injection molding, particle orientation caused by fountain flow, 1238
Bumpers, automotive, energy absorbing double-beam concept, 1381

C

Calcium carbonate-filled PP, fracture toughness, effect of adhesion, 559
Carbazole polymer, electronic structure, surface analytical and electro-optical investigations, 736
Carbon black-filled LLDPE, near percolation threshold, electrical noise characteristics, 573
Carbon fiber reinforced nylon 6.6, impact properties, 1483
Carboxyl-terminated butadiene-acrylonitrile-rubber (CTBN-rubber)/glass bead/epoxy composites, deformation and fracture, 100
Castor oil, and PET, semi-IPNs, synthesis, structure, and properties, 913
Cellulose/PE composites, corona-modified, mechanical properties, 343
Chain entanglement, origin, correlations between entanglement and chain structure, 289
Chain scission, random, influence of free-radical reactions, 445
Charpy impact test, instrumented, epoxy resin filled with irregular-shaped silica particles, 279
Chemorheology, epoxy resins, unfilled and filled, 211
Chromophores, thin polymer films, spatial depth profiling, 43
Coagulation, rigid-rod polymers, phase separation kinetics, 1619
Combined reactive extrusion, orientation of PE, 455
Comonomer sequence distribution, effect on TREF branching distributions, 1370
Compatibilization, nylon 6, with FSBCs, 819
Compatibilizing agents
  oriented ternary blends of PET and HDPE, properties and morphology, 827
  polymer blends, interfacial tension, phase morphology, and mechanical properties, 923
Compliance correction, tensile testing of high modulus polymers and, 328
Composite laminates, LCP/fluoropolymer blends, preparation and properties, 838
Composites
  cellulose/PE, corona-modified, mechanical properties, 343
  in-situ
    LCP and PC, structure and properties, effect of drawing, 789
    LCP and PEI, mechanical properties, 808
    sheet extrusion, influence of processing parameters, 937
  friction, effects of moisture and other contaminants, 1204
  glass bead/CTBN-rubber/epoxy, deformation and fracture, 100
  particulate, mechanical behavior, predictive model
    comparison of model predictions to literature data, 1466
    model derivation, 1458
  self-reinforced, TLCPs, 32
  structural, mass production, volumetric heating by electromagnetic energy absorption, 240
  ternary polymer, properties of the interphase, 1009
Computer applications
  blow molding, on-line prediction of final part dimensions, 653
  modeling of polymeric materials, single chains and multiple-chain systems, 285
Cone Calorimeter, investigation of polymeric materials, 497
Contaminants, effects in friction composites, 1204
Continuous flow stirred tank reactors, propylene polymerization, dynamic simulation, 368
Converging flow analysis, refinement, measuring extensional viscosity in polymers, 1079
Cook-Gordon mechanism, polymeric materials, 1438
Copolyesters
  processing, analysis of melt-spinning TLCP fibers, 156
  viscoelastic properties of 60 mol% PHB/40 mol% PET, effect of temperature history, 108
Copolyimide films, segmented rigid-rod, origin of β relaxations, 1373
Copolymer blends, extruded PP/EVOH, morphology and permeability, 1404
Copolymerization, emulsion, kinetics model and reactor performance, 564

Copolymers
FSBCs, modification and compatibilization of nylon 6, 819
SIS triblock copolymer and blends with polyisoprene homopolymer and SI diblock copolymer, viscoelastic properties, 1195
styrene-maleic anhydride copolymer, PE, and ethylene-propylene copolymer, impact toughened blends, 721
styrenes and styrene/2-vinylnaphthalene, electrical degradation, 549
VF2/VF3, solid state extrusion
dynamics, 1559
structure development, 1570
Corona-modified cellulose/PE composites, mechanical properties, 343
Corotating intermeshing twin screw extruder
see also Intermeshing co-rotating twin screw extruders
HDPE, effect on degradation, 271
Co-rotating two-tipped kneading paddles, computational study of chaotic mixing, two-dimensional approach, 140
Crack blunting, Cook-Gordon mechanism, 1438
Crazing
glassy polymers, stress analysis, 1189
PEI, assessment of crazing criteria in three-dimensional space, 1431
Creep-based characterization, nonlinear relaxation behavior of plastics, 1400
Creep/recovery behavior, toughened and untoughened graphite/epoxy systems, 1390
Critical stability parameters, multilayer extrusion, estimation by asymptotic parameters, 1532
Crystallinity
development in NEW-TPI polyimide, 587
effect on light scattering of PE tubular blown films, 742
Crystallization, iPP
isothermal, iPP-dotriacontane systems
effect of nucleating agent addition on growth rate, 522
effect of nucleating agent addition on overall crystallization kinetics, 513
non-isothermal, iPP-dotriacontane systems
effects of dilution, cooling rate, and nucleating agent addition on growth rate, 537
effects of dilution, cooling rate, and nucleating agent addition on overall crystallization kinetics, 529
temperature dependence of nucleation effect of sorbitol derivatives, 1445
Crystallization, orientational, strengthening of PE, 1341
Crystallization kinetics, iPP
blended with EPDM, influence of rubber-matrix interfaces, 877
in dotriacontane
isothermal, effect of nucleating agent addition, 513
non-isothermal, effect of dilution cooling rate, and nucleating agent addition, 529
Crystallization kinetics, PET, memory effect of shear history, 83
CTBN-rubber, see Carboxyl-terminated butadiene-acrylonitrile-rubber
Curing
cyanoacrylate resin, dielectric monitoring, 125
epoxy resins, comparison of microwave and thermal cure, 1132
thermoset resins, estimation of kinetic parameters
experimental results, 1165
theoretical investigation, 1157
UP resins, effects of pressure, 1
Cyanoacrylate resin, curing, dielectric monitoring, 125
Cyclic deformation testing, PP, 18
Cyclic preloading, PP, stress relaxation behavior, 1494

D

DC dark conductivity, temperature dependent, poly(N-vinyl carbazole), 501
Die drawing, circular rods through conical dies, analytic and experimental study, 1288
Dielectric behavior, glassy amorphous polymers at 2.45 GHz, 1110
Dielectric characterization, water sorption in epoxy resin matrices, 75
Dielectric monitoring, curing process in cyanoacrylate resin, 125
Dielectric relaxation, epoxide oligomer, study by direct current transient method, 1301
Dielectric studies, polymerization, diethylene glycol bis(allyl carbonate), 1049
Dies
see also Die drawing
extrusion dies
profile, without flow separation, numerical simulation, 971
three-dimensional flow, numerical and experimental investigation, 393
fishtail dies, three-dimensional path line tracking and residence time distribution, 709
slit dies, finite difference solution for flow, 149
Diethylene glycol bis(allyl carbonate), polymerization, dielectric studies, 1049
Direct current transient method, study of dielectric relaxation of epoxide oligomer, 1301
Dispersion polycondensation, methodological survey, 865
Dotriacontane-iPP systems
isothermal crystallization, effect of nucleating agent addition
on growth rate, 522
on overall crystallization kinetics, 513
non-isothermal crystallization, effects of dilution, cooling rate, and nucleating agent addition
on growth rate, 537
on overall crystallization kinetics, 529
Double Arm Pulfrich Refractometer, application to optical characterization of biaxially stretched PS, 1360
Drawing
see also Die drawing
LCP and PC in-situ composite, effect on structure and properties, 789
orientational, strengthening of PE, 1341
Dynamic mechanical analysis, PP, determination of heat resistance, 248
Dynamic melt rheology, relationship of G^* in oscillatory rheometry to melt elasticity, re-examining, 122

E

Elastomers, thermoplastic
blended with TLCP, mechanical properties and morphology, 754
polyether PU, mechanical hysteresis, 1170
Electrical conductivity
plasma polymerized tetramethyl germanium films, 645
polymer/filler systems
carbon black-filled LLDPE, 573
density/filler curves according to new thermodynamic percolation model, 334
Electrical degradation, homo- and copolymers of styrenes and styrene/2-vinylnaphthalene, 549
Electrical noise characteristics, carbon black-filled LLDPE, 573
Electrofusion joints, gas distribution, fusion simulation, 1146
Electromagnetic energy absorption, volumetric heating, mass production of structural composites, 240
Electronic structure, polyaromatic nitrogen compounds, surface analytical and electro-optical investigations, 736
Electro-optical investigations, polyaromatic nitrogen compounds, electronic structure, 736
Emulsification, epoxy resin, development of waterborne coatings, 253
Emulsion copolymerization, kinetics model and reactor performance, 564
EPDM, see Ethylene-propylene-diene terpolymer
EPON 828 resin, chemorheology, 211
Epoxidation, natural rubber with in situ-formed peracid, kinetic modeling, 92
Epoxide oligomer, dielectric relaxation, study by direct current transient method, 1301
Epoxy-functional polymers, reactive processing of polyesters, effect of catalyst, 675
Epoxy resins
chemorheology, 211
emulsification, development of waterborne coatings, 253
filled
chemorheology, 211
interfacial stress concentration and effect of residual microstress on tensile fracture, 1027

matrix interface, residual microstress buildup, thermal behavior and mechanism, 474
with irregular-shaped silica particles, instrumented Charpy impact test, 279
glass bead/CTBN-rubber/epoxy composites, deformation and fracture, 100
graphite/epoxy systems, toughened and untoughened, creep/recovery behavior, 1390
microwave and thermal cure, comparison, 1132
water sorption, dielectric characterization, 75
Ethylene/butene copolymer pipe, fatigue crack propagation, plane strain and plane stress analysis, 217
Ethylene methyl acrylate, polydimethyl siloxane rubber, studies on miscibility of blends, 1352
Ethylene-propylene copolymer, impact toughened blends, 721
Ethylene-propylene-diene terpolymer (EPDM), blended with iPP, crystallization kinetics, influence of rubber-matrix interfaces, 877
Ethylene vinyl-alcohol copolymer (EVOH), extruded PP/EVOH blends, morphology and permeability, 1404
EVOH, see Ethylene vinyl-alcohol copolymer
Extensional viscosity measurement, polymers, refinement of converging flow method, 1079
Extrudate swell, method for approximate prediction, 950
Extrusion
combined reactive, orientation of PE, 455
multilayer, estimation of critical stability parameters, asymptotic analysis, 1532
poly(vinylidene chloride), mechanical-to-thermal energy conversion, effect of friction, 1261
PP/EVOH blends, morphology and permeability, 1404
residence time distribution, analysis, including effect of 3-D circulatory flow, 959
sheet, in-situ composites, influence of processing parameters,37
solid state, VF2/VF3 copolymers
dynamics, 1559
structure development, 1570
twin screw
computational study of chaotic mixing, two-dimensional approach, 140
effects on degradation of HDPE, 271
feeding zone, conveying of solid polymer, modeling, 700
Extrusion dies
profile, without flow separation, numerical simulation, 971
three-dimensional flow, numerical and experimental investigation, 393

F

Fatigue behavior, PE
medium-density PE pipe, 895, **fatigue crack propagation**, plane strain and plane stress analysis, 217
notched specimens, 1421
Fiberglass reinforced thermoplastics, tensile properties, influence of knit-lines, 358
Fiber-reinforced materials
nylon 6.6, short carbon fiber reinforced, impact properties, 1483
plastics, long fiber-reinforced, laminate-bending process, 1085
stampable sheet, application of reactive processing, 989
Fibers
from blends of PET and TLCP, 931
melt-spinning TLCP, analysis, 156
rigid-rod polymeric, compressive behavior, role of fibrillar structures, 907
Fibrillar structures, rigid-rod polymeric fibers, role in compressive behavior, 907
Filled polymers, rheology, effect of modification of filler composition, 1308
Film thickness, around rotating roll, non-Newtonian fluids, experimental study, 1540
Films
displaying liquid-crystalline structure, manufacture, 1489
extruded/coagulated, heterocyclic aromatic polymers, defects, characterization and analysis, 764
PE tubular blown, light scattering, effect of surface roughness and crystallinity, 742
plasma polymerized tetramethyl germanium, 645
plastics, pneumatic bursting characteristics, 504
segmented rigid-rod polyimide and copolyimide, origin of β relaxations, 1373
thin polymer, spatial depth profiling, 43
Finite difference solution, flow from slit die, 149
Finite element analysis, injection blow molding, 1279
Finite element model, packing phase, injection molding, 1229
Fishtail dies, three-dimensional path line tracking and residence time distribution, 709
Flow behavior
polymeric fluids, finite difference solution for flow from a slit die, 149
three-dimensional analysis
extrusion dies, numerical and experimental investigation, 393
fishtail dies, path line tracking, 709
Fluid decoupling, effect on viscous mixing, 1270
Fluids film thickness and free surface velocity around rotating roll, experimental study, 1540, **finite difference solution for flow from a slit die**, 149
Fluoropolymers, LCP/fluoropolymer blends, unidirectional "prepregs" and composite laminates, preparation and properties, 838
Foam nucleation, thermoplastic, shear effects, 418
Fountain flow, injection molding, boundary element study on particle orientation, 1238
Fourier transform infrared spectroscopy (FTIR)
characterization of biodegradation of PE, 1507
nondestructive quantitative determination, starch content in PE, 26
Fracture, deformation and, glass bead/CTBN-rubber/epoxy composites, 100
Fracture, tensile, filled epoxy resins, effect of residual microstress, 1027
Fracture behavior, oriented PMMA, 431
Fracture initiation, rubber-toughened PMMA, 748
Fracture toughness
calcium-carbonate-filled PP, effect of adhesion, 559
weldlines, thermoplastic injection molding, 996
Free surface velocity, around rotating roll, non-Newtonian fluids, experimental study, 1540
Frequency domain photopyroelectric effect spectrometry, spatial depth profiling, chromophores in thin polymer films, 43
Friction
LDPE, coefficients of dynamic friction, 423
longitudinal polymer liquid crystal esters, internal friction, 581
poly(vinylidene chloride), extrusion, effect of friction on mechanical-to-thermal energy conversion, 1261
thermoplastics
running-in and steady-state coefficient of friction, 70
static shear strength and adhesion friction, 543
Friction composites, effects of moisture and other contaminants, 1204
FSBCs, see Functionalized styrenic block copolymers
FTIR, see Fourier transform infrared spectroscopy
Functional polymers, effect on mechanical properties of UP resin, 115
Functionalized styrenic block copolymers (FSBCs), modification and compatibilization of nylon 6, 819
Fusion simulation, electrofusion joints, 1146

G

Gas distribution
electrofusion joints, fusion simulation, 1146
pipes, medium-density PE, fatigue behavior, 895
Generalized Eulerian Lagrangian formulation, injection molding, 1055
Glass bead/CTBN-rubber/epoxy composites, deformation and fracture, 100
Glass-filled PEI/LCP blends, in-situ composites, mechanical properties, 808

Glass transition temperatures, bismaleimide-based resin systems, 614
Glasses, polymeric, physical aging, modeling viscoelastic behavior, 486
Glassy polymers
damage and nonlinear viscoelastic response, 56
dielectric behavior at 2.45 GHz, 1110
stress analysis around a three-dimensional craze, 1189
Graphite/epoxy systems, toughened and untoughened, creep/recovery behavior, 1390

H

HDPE, see High-density polyethylene
Heat sag testing, PP, determination of heat resistance, 248
Heterocyclic aromatic polymers, extruded/coagulated films, defects, characterization and analysis, 764
High-density polyethylene (HDPE)
blends with PBT, melting and solidification behavior, 1426
degradation, effect of extrusion conditions, 271
filling of a complex-shaped mold
comparison with experimental data, 410
mathematical model, 400
impact toughened blends, 721
melt blending with UHMWPE, effect of mixing rate on thermal, mechanical, and morphological properties, 1243
oriented ternary blends of PET, HDPE, and compatibilizing agent, properties and morphology, 827
High modulus polymers, tensile testing, and compliance correction, 328
Homopolymers
electrical degradation, homo- and copolymers of styrenes and styrene/2-vinylnaphthalene, 549
viscoelastic properties, SIS triblock copolymer and blends with polyisoprene homopolymer and SI diblock copolymer, 1195
Hot-water pipes, PB-1, molecular structure, morphology, and antioxidant consumption, 303

I

Impact properties
rubber toughened polyamide 6, influences of compatibilizer, 1329
short carbon fiber reinforced nylon 6.6, 1483
Impact testing, epoxy resin, filled with irregular-shaped silica particles, 279
Impact toughened blends, styrene-maleic anhydride copolymer, PE, and ethylene-propylene copolymer, 721
Impact toughening mechanisms, rubber-dispersed polymer alloy, 1606
Injection blow molding, experimental study and finite element analysis, 1279
Injection molding
see also Reaction injection molding
acrylonitrile-acrylic elastomer-styrene terpolymer, thermal stability, analysis, 607
filling a complex-shaped mold with viscoelastic polymer
comparison with experimental data, 410
mathematical model, 400
Generalized Eulerian Lagrangian formulation, 1055
molecular orientation, buildup and relaxation
experimental verification, 202
formulation, 193
packing phase
finite element model, 1229
viscoelastic melt, analysis, 665
particle orientation caused by fountain flow, boundary element study, 1238
PB-1/PP blends, synergism on tensile properties, 686
PC rectangular bars, residual stresses, 1634
PMMA, gapwise density distributions, 383
thermoplastic, fracture toughness of weldlines, 996
transcription of smooth surfaces, experimental study, 1251
Instrumented Charpy impact test, epoxy resin, filled with irregular-shaped silica particles, 279
Interfacial polycondensation, methodological survey, 865
Interfacial stress concentration, filled epoxy resins, 1027
Interfacial tension, compatibilizing agents in polymer blends, 923
Intermeshing co-rotating twin screw extruders
see also Corotating intermeshing twin screw extruder
feeding zone, conveying of solid polymer, modeling, 700
Internal friction, longitudinal polymer liquid crystal esters, 581
Interpenetrating polymer networks (IPNs)
see also Semi-interpenetrating polymer networks
UP-PU, phase separation behavior, 598
Interphase properties, ternary polymer composites, 1009
Ionomer, sodium sulfonated PS, study on microphase structure, nuclear magnetic relaxation measurements, 353
IPNs, see Interpenetrating polymer networks
iPP, see Isotactic polypropylene
iPP-dotriacontane systems
isothermal crystallization, effect of nucleating agent addition
on growth rate, 522
on overall crystallization kinetics, 513
non-isothermal crystallization, effects of dilution, cooling rate, and nucleating agent addition
on growth rate, 537
on overall crystallization kinetics, 529
Isotactic polypropylene (iPP)
see also iPP-dotriacontane systems
blended with EPDM, crystallization kinetics, influence of rubber-matrix interfaces, 877
crystallization, nucleation effect of sorbitol derivatives, temperature dependence, 1445

J

Jet impingement mixing, L-type mixhead, comparison of mixing criteria, 1611

K

Knit-lines
see also Weldlines
fiberglass reinforced thermoplastics, influence on tensile properties, 358

L

L-type mixhead, jet impingement mixing, comparison of mixing criteria, 1611
Laminate-bending process, long fiber-reinforced plastics, 1085
Laminates, composite, LCP/fluoropolymer blends, preparation and properties, 838
LaRC-TPI
damage and nonlinear viscoelastic response, 56
LaRC-TPI 1500/LCP blends, processing and properties, 799
LDPE, see Low-density polyethylene
Leveling process, thermosetting waterborne coatings, observation system, 1320
Light scattering, PE tubular blown films, effect of surface roughness and crystallinity, 742
Linear low-density polyethylene (LLDPE)
carbon black-filled, electrical noise characteristics, 573
γ-irradiated, modification of nylon 6, 845
Liquid crystal esters, longitudinal polymer, internal friction, 581
Liquid crystal polymer, semirigid, rheological behavior, 944
Liquid crystalline alkylenearomatic polyesters, rheology and structure, 889
Liquid crystalline copolyester, viscoelastic properties, effect of temperature history, 108
Liquid crystalline polymers (LCPs)
see also Thermotropic liquid crystalline polymers
LCP and PC in-situ composite, structure and properties, effect of drawing, 789
LCP/fluoropolymer blends, unidirectional "prepregs" and composite laminates, preparation and properties, 838
PC/LCP blends, extrudates, skin-core morphology formation, mechanism, 1548
polyarylate/LCP blend systems, rheological and physical properties, 630
Liquid-crystalline structure, films displaying, manufacture, 1489
Liquid crystals, polymeric, three region flow curve, investigation by rheo-

optical methods, 1022
Liquid-liquid equilibria, polymer solutions, measurement and correlation, 480
LLDPE, see Linear low density polyethylene
Long fiber-reinforced plastics, laminate-bending process, 1085
Low-density polyethylene (LDPE)
see also Linear low-density polyethylene
cellulose/LDPE composites, mechanical properties, 343
coefficients of dynamic friction, 423
γ-irradiated, blends with polyamide 6, mechanical properties-structure relationship, 1336
morphology, effect of mixing history, 227
rheological and molecular characteristics, effect of processing, 377

M

Macromolecular deformation model, polymer melts, estimation of viscoelastic flow effects, 437
Mathematical models
filling a complex-shaped mold with viscoelastic polymer, 400
reactive modification of PE, 1592
Mechanical behavior, particulate composites, predictive model
comparison of model predictions to literature data, 1466
model derivation, 1458
Mechanical hysteresis, polyether PU thermoplastic elastomer, 1170
Mechanical properties
blends of polyamide 6 with γ-irradiated LDPE, 1336
blends of TLCP and thermoplastic elastomer, 754
compatibilizing agents in polymer blends, 923
corona-modified cellulose/PE composites, 343
in-situ composites based on partially miscible blends of glass-filled PEI and LCP, 808
melt blending of UHMWPE and HDPE, effect of mixing rate, 1243
PMMA/PC blends, 640
poly(ε-caprolactam)/PP alloy, 347
poly(styrene-co-acrylonitrile)/PC blends, 1141
UP resin, effect of reactive monomers and functional polymers, 115
Mechanical-to-thermal energy conversion, extrusion of poly(vinylidene chloride), effect of friction, 1261
Melt blending, UHMWPE and HDPE, effect of mixing rate on thermal, mechanical, and morphological properties, 1243
Melt blends, polyimide, containing TLCP, processing and properties, 799
Melt elasticity
incompatible blends of PBT and polyamide 6, 781
relationship to G′ in oscillatory rheometry, re-examining, 122
Melt processing, immiscible polymer blends, formation of elongated morphologies, factors influencing, 851
Melt-spinning TLCP fibers, analysis, 156
Melting behavior, blends of HDPE with PBT, 1426
Melts
polymer, estimation of viscoelastic flow effects, macromolecular deformation model, 437
viscoelastic, analysis of packing stage, 665
Microphase structure, sodium sulfonated PS ionomer, nuclear magnetic relaxation measurements, 353
Microstress, residual, filled epoxy resins
buildup at matrix interface, thermal behavior and mechanism, 474
effect on tensile fracture, 1027
Microwave processing
basic ideas, 1092
epoxy resins, comparison of microwave and thermal cure, 1132
glassy amorphous polymers, dielectric behavior at 2.45 GHz, 1110
semicrystalline polymers, microwave processability, 1122
Mixer, small-volume, see Recirculating Screw Mixer
Mixing, jet impingement, L-type mixhead, comparison of mixing criteria, 1611
Mixing history, effect on morphology of immiscible polymer blends, 227
Mixing rate, melt blending of UHMWPE and HDPE, effect on thermal, mechanical, and morphological properties, 1243
Model filled polymers, rheology, effect of modification of filler composition, 1308
Molding, see Blow molding; Injection molding; Rotational molding
Moisture, effects in friction composites, 1204
Moisture-sensitive plastics, useful life, method for predicting, 65
Molecular properties, PE, effect of low initiator concentrations, 1585
Molecular weight, effect on spherulite growth rate of PET, 1152
Multilayer extrusion, estimation of critical stability parameters, asymptotic analysis, 1532
Mutual diffusion coefficients, SBR-n-nonane systems, measurement and correlation, 322

N

n-alkyl acetate solvents, homologous series, segmental motion of stereoregular PMMAs, 622
N-methyl-pyrrole polymer, electronic structure, surface analytical and electro-optical investigations, 736
Natural rubber, epoxidation with in situ-formed peracid, kinetic modeling, 92
Neoprene rubber, rheological behavior and processability, 1002
NEW-TPI polyimide, development of crystallinity, 587
NMR see Nuclear magnetic resonance
Nonlinear optics studies, extruded/coagulated films of heterocyclic aromatic polymers, characterization and analysis of defects, 764
Nonlinear relaxation behavior, plastics, creep-based characterization, 1400
Non-Newtonian fluids, film thickness and free surface velocity around rotating roll, experimental study, 1540
Notched specimens
PE, evaluating fatigue resistance, 1421
PEI, assessment of crazing criteria, 1431
Nuclear magnetic resonance (NMR) spectroscopy
nondestructive quantitative determination, starch content in PE, 26
relaxation measurements
microphase structure of sodium sulfonated PS ionomer, 353
segmental motion of stereoregular PMMAs, 622
Nylon 6
see also Polyamide 6
modification and compatibilization with FSBCs, 819
modified by γ-irradiated LLDPE, structure and properties, 845
Nylon 6.6
moldings, distortion caused by asymmetric water absorption, 1475
short carbon fiber reinforced, impact properties, 1483

O

Optical characterization, biaxially stretched PS, application of Double Arm Pulfrich Refractometer, 1360
Optics studies, nonlinear, extruded/coagulated films of heterocyclic aromatic polymers, characterization and analysis of defects, 764
Orgalloy R-6000, see Poly(ε-caprolactam)/PP alloy
Orientational crystallization and orientational drawing, strengthening of PE, 1341
Oscillatory rheometry, relationship of G′ to melt elasticity, 122
Oven heat sag, PP, determination of heat resistance, 248
Oxidation processes, hot-water pipes, PB-1, 303

P

Packing stage, injection molding analysis, 665
finite element model, 1229
PAN, see Polyacrylonitrile
Para-hydroxybenzoic acid (PHB), viscoelastic properties of a 60 mol% PHB/40 mol% PET liquid crystalline copolyester, effect of temperature history, 108
Particle orientation, caused by fountain flow in injection molding, boundary element study, 1238
Particulate composites, mechanical behavior, predictive model
comparison of model predictions to literature data, 1466
model derivation, 1458

Path line tracking, three-dimensional, fishtail dies, 709
PB-1, see Polybutene-1
PBT, see Poly(butylene terephthalate)
PC, see Polycarbonate
PE, see Polyethylene
PEI, see Polyetherimide
Peracid, in situ-formed, epoxidation of natural rubber, kinetic modeling, 92
Percolation behavior
carbon black-filled LLDPE, 573
electrical conductive polymer/filler systems, density/filler curves according to a new thermodynamic model, 334
polymer blends, morphology and modulus, 293
PET see Poly(ethylene terephthalate)
Phase morphology, compatibilizing agents in polymer blends, 923
Phase separation
and mechanical properties, PMMA/PC blends, 640
behavior, UP-PU IPNs, 598
kinetics, coagulation of rigid-rod polymers, 1619
Phase structure, related to mechanical properties, poly(styrene-co-acrylonitrile)/PC blends, 1141
PHB, see Para-hydroxybenzoic acid
Photo-crosslinks, PS/PVME blends undergoing spinodal decomposition, control of morphology, 772
Photopyroelectric spectroscopy, spatial depth profiling, chromophores in thin polymer films, 43
Pipes
PB-1, molecular structure, morphology, and antioxidant consumption, 303
PE, medium-density
fatigue behavior, 895
fatigue crack propagation, plane strain and plane stress analysis, 217
Plane strain and plane stress, analysis of fatigue crack propagation, medium-density PE pipe, 217
Plasma polymerized films, tetramethyl germanium, deposited at elevated substrate temperatures, 645
Plastic sheet, accelerated migration of reactive additive, effects of kinetic and transport parameters, 1644
Plasticity, rubber-toughened PMMA, 748
Plastics
moisture-sensitive, method for predicting useful life, 65
nonlinear relaxation behavior, creep-based characterization, 1400
Plastics films, pneumatic bursting characteristics, 504
PMMA, see Poly(methyl methacrylate)
Pneumatic bursting testing, plastics films, 504
Polyacrylonitrile (PAN), thermal treatment, reaction mechanisms, 1452
Polyamide 6
see also Nylon 6
blends with γ-irradiated LDPE, mechanical properties-structure relationship, 1336
blends with PBT, melt elasticity, 781
rubber toughened, morphology and impact properties, influences of compatibilizer, 1329
Polyaromatic nitrogen compounds, electronic structure, surface analytical and electro-optical investigations, 736
Polyarylate/LCP blend systems, rheological and physical properties, 630
Polybenzimidazole, blends with polysulfone, 1042
Polybutene-1 (PB-1)
PB-1 pipes, hot-water applications, molecular structure, morphology, and antioxidant consumption, 303
PB-1/PP blends, injection molded, synergism on tensile properties, 686
Poly(butylene terephthalate) (PBT)
blends with HDPE, melting and solidification behavior, 1426
blends with polyamide 6, melt elasticity, 781
Poly(ϵ-caprolactam)/PP alloy, dynamic mechanical properties, 347
Polycarbonate (PC)
glassy, damage and nonlinear viscoelastic response, 56
injection molded rectangular bars, residual stresses, 1634
LCP and PC in-situ composite, structure and properties, effect of drawing, 789
PC/LCP blends, extrudates, skin-core morphology formation, mechanism, 1548
PMMA/PC blends, phase separation and mechanical properties, 640
poly(styrene-co-acrylonitrile)/PC blends, mechanical properties, phase structure related to, 1141
resin, injection molding, transcription of smooth surfaces, 1251
Polycondensation, methodological survey, 865
Polydimethyl siloxane rubber, ethylene methyl acrylate, studies on miscibility of blends, 1352
Polyester
see also Unsaturated polyester
liquid crystalline alkylenearomatic, rheology and structure, 889
reactive processing with epoxy-functional polymers, effect of catalyst, 675
Polyether PU thermoplastic elastomer, mechanical hysteresis, 1170
Polyetherimide (PEI)
crazing criteria in three-dimensional space, assessment, 1431
LCP in-situ composites, mechanical properties, 808
Polyethylene (PE)
see also High-density polyethylene; Low-density polyethylene; Ultra-high molecular weight polyethylene
biodegradation, DSC and FTIR characterization, 1507
corona-modified cellulose/PE composites, mechanical properties, 343
electrofusion joints, fusion simulation, 1146
impact toughened blends, 721
notched specimens, fatigue resistance, evaluating, 1421
orientation, combined reactive extrusion, 455
pipes, medium-density
fatigue behavior, 895
fatigue crack propagation, plane strain and plane stress analysis, 217
reactive modification
effect of low initiator concentrations on molecular properties, 1585
mathematical modeling, 1592
starch content, nondestructive quantitative determination, 26
strengthening methods, orientational crystallization and orientational drawing, 1341, tubular blown films, light scattering, effect of surface roughness and crystallinity, 742
Poly(ethylene terephthalate) (PET)
castor oil and, semi-IPNs, synthesis, structure, and properties 913
crystallization kinetics, memory effect of shear history, 83
fibers from blends of PET and TLCP, 931
internal friction, 581
oriented ternary blends of PET, HDPE, and compatibilizing agent, properties and morphology, 827
spherulite growth rate, effect of molecular weight, 1152
viscoelastic properties of a 60 mol% PHB/40 mol% PET liquid crystalline copolyester, effect of temperature history, 108
Polyimides
blends
polyimide/LCP melt blends, processing and properties, 799
thermoplastic character, 901
films
segmented rigid-rod, origin of β relaxations, 1373
thickness-direction thermal expansion, 1502
precursor solutions, spin coating behavior, 980
thermoplastic
see also LaRC-TPI
NEW-TPI, development of crystallinity, 587
Polyisoprene homopolymer, effect on viscoelastic properties of SIS, 1195
Polymer blends
compatibilizing agents, interfacial tension, phase morphology, and mechanical properties, 923
immiscible
effect of mixing history on morphology, 227
formation of elongated morphologies during melt processing, 851
morphology and modulus, percolation behavior, 293
reactive processing, change in morphological and interfacial parameters, 175

Polymer films, thin, spatial depth profiling of chromophores, 43
Polymer melts, viscoelastic flow effects, estimation, macromolecular deformation model, 437
Polymeric liquid crystals, three region flow curve, investigation by rheo-optical methods, 1022
Polymeric materials
computer modeling, single chains and multiple-chain systems, 285
Cook-Gordon mechanism, 1438
investigation using Cone Calorimeter, 497
percolation in electrical conductive polymer/filler systems, density/filler curves according to new thermodynamic model, 334
Polymers
see also Glassy polymers; Liquid crystalline polymers
extensional viscosity measurement, refinement of converging flow method, 1079
membrane formation through spinodal decomposition, two-dimensional simulations of early-stage behavior, 1033
microwave processing
basic ideas, 1092
dielectric behavior of glassy amorphous polymers at 2.45 GHz, 1110
semicrystalline polymers, 1122
solid, interaction of nonhomogeneous shear, nonlinear viscoelasticity, and yield, 1217
Poly(methyl methacrylate) (PMMA)
injection-molded, gapwise density distributions, 383
oriented, fracture behavior, 431
PMMA/PC blends, phase separation and mechanical properties, 640
rubber-toughened, plasticity and fracture initiation, 748
stereoregular, segmental motion, 622
thermal gravimetric analysis, 317
Poly(methyl methacrylate-g-urethane), transport studies, 1366
Poly(N-vinyl carbazole), temperature dependent DC dark conductivity, Arrhenius and density of state model, 501
Polyolefin blends, cryogenically ground rubber tires, 166
Polypropylene (PP)
see also Isotactic polypropylene
calcium carbonate-filled, fracture toughness, effect of adhesion, 559
cyclic deformation and relaxation characteristics, 18
cyclic preloading, stress relaxation behavior after, 1494
determination of heat resistance, use of oven heat sag, 248
free radical degradation, random chain scission, 445
PB-1/PP blends, injection molded, synergism on tensile properties, 686
poly(ϵ-caprolactam)/PP alloy, dynamic mechanical properties, 347
PP/EVOH blends, extruded, morphology and permeability, 1404
Polystyrene (PS)
biaxially stretched, optical characterization, application of Double Arm Pulfrich Refractometer, 1360
morphology, effect of mixing history, 227
PS-cyclopentane and PS-cyclopentane-cyclohexane systems, liquid-liquid equilibria, 480
PS/PVME blends, spinodal decomposition, control of morphology by photo-crosslinks, 772
sodium sulfonated PS ionomer, study on microphase structure, nuclear magnetic relaxation measurements, 353
Poly(styrene-co-acrylonitrile)/PC blends, phase structure related to mechanical properties, 1141
Polysulfone, blends with polybenzimidazole, 1042
Polyurethane (PU)
polyether PU, mechanical hysteresis, 1170
UP-PU IPNs, phase separation behavior, 598
Poly(vinyl methyl ether) (PVME), PS/PVME blends, spinodal decomposition, control of morphology by photo-crosslinks, 772
Poly(vinylidene chloride), extrusion, mechanical-to-thermal energy conversion, effect of friction, 1261
PP, see Polypropylene
Predictive model, mechanical behavior of particulate composites
comparison of model predictions to literature data, 1466
model derivation, 1458
Prepreg processing
science and engineering, 1177
unidirectional prepregs, preparation and properties, 838
Profile extrusion dies, without flow separation, numerical simulation, 971
Propylene polymerization, dynamic simulation, continuous flow stirred tank reactors, 368
PS, see Polystyrene
PU, see Polyurethane
PVME, see Poly(vinyl methyl ether)
Pyrolysis testing, polymeric materials, investigation using Cone Calorimeter, 497

Q

"Quantitative Prediction of Particle Size of Dispersed Phase in Elastomer-Plastic Blends," by Z. Zhang and J. Qiao, Polym. Eng. Sci., 31, 1553 (1991), comments, 1084

R

Reaction injection molding
jet impingement mixing, L-type mixhead, comparison of mixing criteria, 1611
modeling fountain flow and filling front shape, 716
structural, processing/performance relationships considering voids, 1627
Reactive additive, accelerated migration from plastic sheet, effect of kinetic and transport parameters, 1644
Reactive extrusion, combined, orientation of PE, 455
Reactive modification, PE
effect of low initiator concentrations on molecular properties, 1585
mathematical modeling, 1592
Reactive monomers, UP resin, effect on mechanical properties, 115
Reactive processing
application to stampable sheet of toughness-improved UP, 989
polymer blends, analysis of change in morphological and interfacial parameters, 175
Real-time small angle light scattering, effect of molecular weight on spherulite growth rate of PET, 1152
Recirculating Screw Mixer, 1065
Relaxation, dielectric, epoxide oligomer, study by direct current transient method, 1301
Relaxation, molecular orientation in injection molding
experimental verification, 202
formulation, 193
Relaxation behavior
nonlinear, plastics, creep-based characterization, 1400
stress, PP, after cyclic preloading, 1494
Relaxation characteristics, and cyclic deformation, PP, 18
Relaxation measurements, NMR
study on microphase structure of sodium sulfonated PS ionomer, 353
segmental motion of stereoregular PMMAs in homologous series of n-alkyl acetate solvents, 622
Relaxation processes, segmented rigid-rod polyimide and copolyimide films, origin of β relaxations, 1373
Residence time distribution
analysis in extrusion process, including effect of 3-D circulatory flow, 959
fishtail dies, 709
Residual stresses, injection molded PC rectangular bars, 1634
Resins
see also Epoxy resins; Unsaturated polyester resins
acrylic resins, development of high performance waterborne coatings
characterization of coatings and cured film, 265
emulsification of epoxy resin, 253
factors affecting adhesion performance, 260
bismaleimide-based resin systems, glass transition temperatures, 614
cyanoacrylate resin, curing, dielectric monitoring, 125
PC resin, injection molding, transcription of smooth surfaces, 1251
thermoset resins, curing, estimation of kinetic parameters
experimental results, 1165

theoretical investigation, 1157
Rheological behavior
neoprene and acrylic rubbers, 1002
semirigid LCP, 944
Rheological characteristics, LDPE, effect of processing, 377
Rheological properties, polyarylate/LCP blend systems, 630
Rheology
see also Chemorheology
dynamic melt, relationship of G′ in oscillatory rheometry to melt elasticity, re-examining, 122
liquid crystalline alkylenearomatic polyesters, 889
model filled polymers, effect of modification of filler composition, 1308
Rheometry, oscillatory, relationship of G′ to melt elasticity, re-examining, 122
Rigid-rod polyimide and copolyimide, segmented, origin of β relaxations, 1373
Rigid-rod polymeric fibers, compressive behavior, fibrillar structures, 907
Rigid-rod polymers, phase separation kinetics during coagulation, 1619
Roll coating process, non-Newtonian fluids, film thickness and free surface velocity, experimental study, 1540
Rotating roll, see Roll coating process
Rotational molding, effects of internal heating and cooling, analysis, 132
Rubber
acrylic rubber, rheological behavior and processability, 1002
CTBN-rubber/glass bead/epoxy composites, deformation and fracture, 100
natural rubber, kinetic modeling of epoxidation with in situ-formed peracid, 92
neoprene rubber, rheological behavior and processability, 1002
polydimethyl siloxane rubber, ethylene methyl acrylate, studies on miscibility of blends, 1352
SBR-n-nonane systems, measurement and correlation, 322
Rubber-dispersed polymer alloy, impact toughening mechanisms, 1606
Rubber-matrix interfaces, crystallization kinetics of iPP/EPDM blends, 877
Rubber products
tires, cryogenically ground, use as filler in polyolefin blends, 166
vulcanization process, optimization, 183
Rubber-toughened PMMA, plasticity and fracture initiation, 748
Rubber toughened polyamide 6, morphology and impact properties, influence of compatibilizer, 1329

S

SBR, see Styrene-butadiene rubber
Segmented rigid-rod polyimide and copolyimide films, origin of β relaxations, 1373
Semicrystalline polymers, microwave processability, 1122
Semi-IPNs, PET and castor oil, synthesis, structure, and properties, 913
Semirigid liquid crystal polymer, rheological behavior, 944
Shear
effects on thermoplastic foam nucleation, 418
history, memory effect, crystallization kinetics of PET, 83
nonhomogeneous, solid polymer, 1217
Sheet, plastic, accelerated migration of reactive additive, effects of kinetic and transport parameters, 1644
Sheet extrusion, in-situ composites, influence of processing parameters, 937
Short carbon fiber reinforced nylon 6.6, impact properties, 1483
Shrinkage behavior, low profile UP resins, influence of processing conditions, systems without fillers, 466
SI, see Styrene-isoprene diblock copolymer
Silica particles, irregular-shaped, epoxy resin filled with, instrumented Charpy impact test, 279
SIS, see Styrene-isoprene-styrene triblock copolymer
Skin-core morphology formation, extrudates of PC/LCP blends, mechanism, 1548
Slit die, finite difference solution for flow, 149
Sodium sulfonated PS ionomer, microphase structure, nuclear magnetic relaxation measurements, 353
Solid state extrusion, VF2/VF3 copolymers **dynamics**, 1559, **structure development**, 1570
Solid state NMR, nondestructive quantitative determination, starch content in PE, 26
Solidification behavior, blends of HDPE with PBT, 1426
Sorbitol derivatives, nucleation effect on crystallinity of iPP, temperature dependence, 1445
Spectroscopy, see Fourier transform infrared spectroscopy; Nuclear magnetic resonance spectroscopy; Photopyroelectric spectroscopy
Spherulite growth rate, PET, effect of molecular weight, 1152
Spin coating behavior, polyimide precursor solutions, 980
Spinodal decomposition
polymer membrane formation, two-dimensional simulations of early-stage behavior, 1033
PS/PVME blends, control of morphology by photo-crosslinks, 772
Spring loading, viscoelastic materials, predicting behavior, 97
SRIM, see Structural reaction injection molding
Stability, see **Critical stability parameters; Thermal stability**
Stampable sheet, toughness-improved UP, application of reactive processing, 989
Starch content, PE, nondestructive quantitative determination, 26
Stress analysis, glassy polymers, three-dimensional craze, 1189
Stress relaxation behavior, PP, after cyclic preloading, 1494
Structural reaction injection molding (SRIM), processing/performance relationships considering voids, 1627
Styrene-butadiene rubber (SBR)-n-nonane systems, mutual diffusion coefficients, measurement and correlation, 322
Styrene-isoprene diblock copolymer (SI), effect on viscoelastic properties of SIS, 1195
Styrene-isoprene-styrene triblock copolymer (SIS), viscoelastic properties, effects of added PI and SI, 1195
Styrene-maleic anhydride copolymer, impact toughened blends, 721
Styrene/2-vinylnaphthalene, electrical degradation, 549
Styrenes, homo- and copolymers, electrical degradation, 549
Styrenic block copolymers see Functionalized styrenic block copolymers
Surface analytical investigations, polyaromatic nitrogen compounds, electronic structure, 736
Surface roughness
effect on light scattering in PE tubular blown films, 742
transcription, injection molding, experimental study, 1251
Surface velocity, free, around rotating roll, non-Newtonian fluids, experimental study, 1540
Suspension polycondensation, methodological survey, 865

T

Temperature dependence
DC dark conductivity in poly (n-vinyl carbazole), 501
nucleation effect of sorbitol derivatives on PP crystallization, 1445
Temperature history, 60 mol% PHB/40 mol% PET liquid crystalline copolyester, effect on viscoelastic properties, 108
Temperatures
elevated substrate, depositing of plasma polymerized tetramethyl germanium films, 645
glass transition, bismaleimide-based resin systems, 614
Tensile fracture, filled epoxy resins, effect of residual microstress, 1027
Tensile properties
fiberglass reinforced thermoplastics, influence of knit-lines, 358
PB-1/PP blends, injection molded, synergism, 686
Tensile testing, high modulus polymers, compliance correction, 328
Ternary polymer composites, properties of the interphase, 1009
Tetramethyl germanium, plasma polymerized films, deposited at elevated substrate temperatures, 645

Thermal expansion, thickness-direction, polyimide films, 1502
Thermal gravimetric analysis, PMMA, coupling between apparent time scale of thermal degradation and sample size, 317
Thermal stability, acrylonitrile-acrylic elastomer-styrene terpolymer, injection molding, analysis, 607
Thermal treatment, PAN, reaction mechanisms, 1452
Thermoplastic elastomers
polyether PU, mechanical hysteresis, 1170
TLCP/thermoplastic elastomer blends, mechanical properties and morphology, 754
Thermoplastic injection molding, weldlines, fracture toughness, 996
Thermoplastic polyimide (TPI) LaRC-TPI
damage and nonlinear viscoelastic response, 56
LaRC-TPI 1500/LCP blends, processing and properties, 799
NEW-TPI, development of crystallinity, 587
Thermoplastics
automotive bumpers, energy absorbing double-beam concept, 1381
fiberglass reinforced, tensile properties, influence of knit-lines, 358
foam nucleation, shear effects, 418
frictional properties
adhesion friction, 543
running-in and steady-state coefficient of friction, 70
static shear strength, 543
Thermoset resins, curing, estimation of kinetic parameters
experimental results, 1165
theoretical investigation, 1157
Thermosetting waterborne coatings, leveling process, observation system, 1320
Thermotropic liquid crystalline polymers (TLCPs)
fibers from blends of PET and TLCP, 931
LaRC-TPI 1500/LCP blends, processing and properties, 799
processing, analysis of melt-spinning fibers, 156
self-reinforced composites, 32
thermotropic elastomer/TLCP blends, mechanical properties and morphology, 754
Tires, rubber, cryogenically ground, use as filler in polyolefin blends, 166
TLCPs, see Thermotropic liquid crystalline polymers
Transcription mechanism, smooth surfaces, injection molding, experimental study, 1251
Transport studies, poly(methyl methacrylate-g-urethane), 1366
TREF branching distributions, effect of comonomer sequence distribution, 1370
Twin screw extrusion
computational study of chaotic mixing, two-dimensional approach, 140
feeding zone, conveying of solid polymer, modeling, 700
HDPE, effect on degradation, 271

U

UHMWPE, see Ultra-high molecular weight polyethylene
Ultra-high molecular weight polyethylene (UHMWPE), melt blending with HDPE, effect of mixing rate on thermal, mechanical, and morphological properties, 1243
Unidirectional "prepregs," LCP/fluoropolymer blends, preparation and properties, 838
Unsaturated polyester (UP) resins
"all trans" enzymatically prepared, compared with chemically synthesized and industrial polyesters, 311
curing, effects of pressure, 1
low profile, shrinkage behavior, influence of processing conditions, systems without fillers, 466
mechanical properties, effect of reactive monomers and functional polymers, 115
synthesis on laboratory and industrial scale, 1212
toughness improved, stampable sheet, application of reactive processing, 989
UP-PU IPNs, phase separation behavior, 598
UP, see Unsaturated polyester

V

VF2/VF3, see Vinylidene fluoride/vinylidene trifluoride
Vinylidene fluoride (VF2)/vinylidene trifluoride (VF3) copolymers, solid state extrusion
dynamics, 1559
structure development, 1570
Viscoelastic behavior, glasses, modeling during physical aging, 486
Viscoelastic flow effects, estimation in polymer melts, macromolecular deformation model, 437
Viscoelastic materials
filling of a complex-shaped mold comparison with experimental data, 410
mathematical model, 400
injection molding, packing stage, analysis, 665
spring loading, predicting behavior, 97
Viscoelastic properties
SIS, effect of added PI and SI, 1195
60 mol% PHB/40 mol% PET copolyester, effect of temperature history, 108
Viscoelasticity, nonlinear, solid polymer, 1217
Viscous mixing, effect of fluid decoupling, 1270
Voids, SRIM, processing/performance relationships, 1627
Volumetric heating, electromagnetic energy absorption, mass production of structural composites, 240
Vulcanization process, rubber products, optimization, 183

W

Water absorption
nylon 6,6, distortion caused by asymmetric absorption, 1475
epoxy resin matrices, dielectric characterization, 75
Waterborne coatings
development of high performance characterization of coatings and cured film, 265
emulsification of epoxy resin, 253
factors affecting adhesion performance, 260
thermosetting, observation of leveling process, 1320
Weldlines
see also Knit-lines
thermoplastic injection molding, fracture toughness, 996

Y

Yield, interaction with nonhomogeneous shear and nonlinear viscoelasticity, in solid polymers, 1217

Author Index

Aben, W. J., 183
Abrahami, S., 311
Acierno, D., 156, 845, 1336
Ahmed, A., 1055
Ahn, K. J., 1177
Ahn, W., 1452
Akhtar, S., 32
Aklonis, J. J., 486, 1308
Alexandrou, A. N., 1055
Amemiya, Y., 1606
Antipov, E. M., 889
Anturkar, N. R., 1532
Arai, Y., 322, 480
Ariyama, T., 18, 1494
Arnold, A., 980
Arnold, F. E., Jr., 1373
Arshady, R., 865
Asada, T., 1022
Asano, H., 607
Asresahegn, M., 877
Atiqullah, M., 1644
Axelson, D. E., 26
Ayodhya, S. R., 358

Bafna, S. S., 808
Baird, D. G., 808
Baker, W. E., 166, 377
Balke, S. T., 445, 1585, 1592
Ban, L., 721
Barrett, L. W., 913
Baser, S. A., 1611
Beery, D., 1548
Benabdallah, S. H., 70, 543
Bengtsson, P., 573
Berglund, C. A., 1195
Berglund, L. A., 100
Berry, J. P., 1483
Bershadsky, A., 311
Bersted, B. H., 1079
Bhowmick, A. K., 1002, 1352
Bigio, D. I., 1270
Blizard, K. G., 799
Blouin, D., 971
Blum, F. D., 1204
Bosnyak, C. P., 1634
Brostow, W., 581
Brown, N., 1421
Brueller, O. S., 97, 1400
Bruno, K. R., 1373
Bush, M. B., 950
Byers, W. A., 645

Cakmak, M., 1559, 1570
Calderaro, E., 845, 1336
Campbell, G. A., 271
Caneba, G. T., 1033
Carreau, P. J., 851
Carriere, C. J., 317
Carrot, C., 700
Cebe, P., 587
Chen, C. C., 923
Chen, C.-Y., 1329
Chen, M., 1092, 1110, 1122
Chen, S.-A., 686
Chen, Y.-L., 1033
Cheng, S. Z. D., 1373
Chono, S., 1540
Chung, C. I., 1261
Chung, T.-S., 1042
Cinpinski, G. J., 240
Cohen, A., 317
Connelly, R., 271
Coskun, M., 1243
Craggs, G., 1288
Crawford, R. J., 132
Crevecoeur, G., 937
Crook, R. A., 56
Culberson, W. T., 1152

Datta, S., 721
David, B., 227
De Bruin, J. G., 383
Dehodgins, O., 980
Delong, J. D., 1132
Delorenzi, H. G., 1431
De Meuse, M., 1049, 1132
Deopura, B. L., 931
De Souza, J. P., 808
Dharani, L. R., 1204
Dharmarajan, N., 721
Dianselmo, A., 559
Dibenedetto, A. T., 156, 559
Dinatale, C. A., 240
Diraddo, R. W., 653
Dixon, R. R., 65
Dong, S., 343
Dontula, N., 271
Dreval, V. E., 889
Driscoll, P., 108
Dutta, D., 838

Eashoo, M., 1373
El-Kindi, M., 377
Elyashevich, G. K., 1341
Eriksson, P.-A., 303
Espinoza, A., 486
Esseghir, M., 393

Farris, R. J., 1458, 1466
Favis, B. D., 851
Flaman, A. A. M., 193, 202
Friler, J. B., 587
Fukuda, H., 480
Furuya, T., 480

Gaillard, P., 748
Galiatsatos, V., 285
Gallo, L., 1336
Garcia-Rejon, A., 653
Gedde, U. W., 303, 549
George, M. H., 865
George, S. E., 675
Geresh, S., 311
Gilboa, Y., 311
Gillespie, J. W., Jr., 1627
Glick, M., 1042
Gloaguen, J. M., 748
Gloor, P. E., 445
Godovsky, Y. K., 889
Goff, L. J., 497
Golob, J., 1212
Gonzalez-Nunez, R., 851
Gorce, J.-N., 1170
Goto, M., 607
Groeninckx, G., 937
Gromek, J. M., 156
Grygiel, J. M., 1229
Gryte, C. C., 901
Guillet, J., 700
Gul', V. E., 1489
Gupta, B. R., 92, 1002
Gupta, M., 393
Gupta, S. K., 368
Gustafsson, A., 549

Haessly, W. P., 1279
Haghighat, R. R., 799
Hamada, H., 996
Hamielec, A. E., 445
Han, B. J., 901
Harada, T., 996
Harris, F. W., 1373
Harrison, I. R., 860
Hawley, M. C., 1132
Hayase, S., 108
Hedenqvist, M., 303
Hellgeth, J. W., 1122, 1170
Hess, M., 1009
Homma, K., 1146
Hong, S. M., 630
Hrymak, A. N., 445
Hsu, T. C., 860
Hsu, W. Y., 293
Hu, C. T., 431
Huang, C.-C., 709
Huang, Y.-J, 1
Hurez, P., 971
Hwang, S. S., 630
Hwu, W., 1
Hyun, K. S., 423, 1261

Iemoto, Y., 1540
Ifwarson, M., 303
Ikeda, H., 322
Imura, M., 772
Inoue, F., 1146
Inoue, S., 989
Inoue, T., 175
Isayev, A. I., 32
Ishak, Z. A. M., 1483
Iwai, Y., 322, 480
Iwamoto, M., 996

Jabarin, S. A., 827
Jaluria, Y., 393
Jancar, J., 559
Jho, J., 789
Ji, Z., 140
Jin, X., 1238
Joo, J. W., 959

Kale, L., 1370
Kalyon, D. M., 140
Kamal, M. R., 400, 410, 665, 1404
Karbashewski, E., 1370
Karidio, I., 149
Karlsson, K., 303
Karpov, E. A., 1341
Kato, K., 1251
Katti, S. S., 564
Kempthorn, J. T., 248
Kenig, S., 1548
Kenny, J., 75
Kessel, R., 736
Khakhar, D. V., 1611
Khanchech, O. A., 1489
Khanna, Y. P., 122
Kim, B. C., 630
Kim, C.-H., 353
Kim, C. Y., 1445, 1452
Kim, D.-W., 622
Kim, J., 1452
Kim, K. U., 630
Kim, S. C., 83, 598, 1445
Kim, S. P., 83
Kim, Y. C., 1445, 1452
Kirkpatrick, D. E., 423, 1261
Kiason, C., 573
Kobuchi, S., 322
Kodama, M., 640, 1141
Kohkame, H., 607
Koike, T., 1301
Kojima, S., 253, 260, 265, 1320
Korbar, J., 1212
Kosfeld, R., 1009
Kotova, E. V., 889
Kozlowski, M., 227
Kristal, K., 838
Kubat, J., 573
Kulichikhin, G. V., 889
Kumar, N. R., 1002

Kuo, J.-F., 1329
Kuramoto, H., 1251
Kwon, T. H., 393, 959

Lai, F. S., 504
La Mantia, F. P., 944
Langelaan, H. C., 754
Larena, A., 742
Lavallee, C., 851
Lawal, A., 140
Lee, C. J., 1373
Lee, C. K., 504
Lee, C. Y.-C., 764, 901
Lee, J.-H., 622
Lee, J. S., 1559, 1570
Lee, M.-S., 686
Lee, S., 431
Lee, S. S., 598
Lee, S.-T., 418
Lee, W.-C., 156
Lefebvre, J. M., 748, 1360
Levinson, W. A., 980
Li, S.-J., 474, 1027
Lichkus, A. M., 860
Lim, G. B. A., 513, 522, 529, 537
Lim, J.-C., 353
Lin, C. B., 431
Lin, Q., 789
Lloyd, D. R., 513, 522, 529, 537
Lohfink, G. W., 1404
Lu, T.-J., 1
Luna, M., 501
Lux, F., 334

Machida, T., 1085
Macosko, C. W., 1065
Maekawa, Z., 996
Maffezzoli, A. M., 75
Magagnini, P. L., 944
Maiti, B. R., 92
Malaczynski, G. W., 240
Manas-Zloczower, I., 211
Marikhin, V. A., 1341
Martin, G. C., 614
Masuda, T., 108
May, J. F., 700
McGeehan, J. A., 1627
McGrath, J. E., 1092, 1110, 1122
McGuire, K. S., 537
McIlhenny, R. C., 716
McKay, K. W., 1195
McQueen, D. H., 573
Mehta, R., 764
Mehta, S., 931
Merle, G., 466
Miller, R. L., 675
Miyagi, H., 1606
Miyamoto, S., 322
Miyano, Y., 607
Modic, M. J., 819
Moet, A., 217
Moriga, T., 260, 265, 1320
Motashar, F. A., 1288
Myasnikova, L. P., 1341

Nadkarni, V. M., 358
Nakagawa, T., 1146
Nakakura, M., 895
Nakamura, K., 989
Nakamura, Y., 279
Nakashiba, A., 895, 1146
Nakazato, H., 1146
Namboodri, C. S. S., 92
Nando, G. B., 1352
Narkis, M., 1548
Nelson, D. S., 1619
Ng, H., 211
Nguyen, K. T., 665
Nicolais, L., 75
Nishimura, H., 895, 1146
Nobile, M. R., 156

Okamoto, M., 175
Okamoto, Y., 1606
Okubo, M., 279
Oliphant, K., 166

Paci, M., 944
Pae, K. D., 1189
Papanastasiou, T. C., 1532
Papathanasiou, T. D., 400, 410
Park, J. K., 353, 622
Park, J. M., 901
Pascault, J. P., 466
Pasztor, A. J., Jr., 317
Paterson, M. W. A., 1475
Paul, D. R., 675
Pedretti, U., 944
Perrett, F. J., 716
Peshehonova, A. L., 1489
Peterson, L., 75
Pham, H. T., 1634
Picot, J. J. C., 149
Pinto, G., 742
Porter, D., 437
Posthuma De Boer, A., 754
Pottick, L. A., 819
Power, J. F., 43
Powers, E. J., 1042
Prystay, M. C., 43
Puaux, J. P., 700

Quarderer, G. J., 564

Raab, M., 1438
Radhakrishnan, S., 125
Raghavan, D., 1509
Rahman, A. K. M. S., 1644
Reible, D. D., 716
Rodriguez, E. L., 115
Roggero, A., 944
Rosova, E. Y., 1341
Roy, S., 92, 1352
Rudin, A., 377, 1370
Ruffier, M., 466
Ryan, M. E., 1279
Ryoo, B.-K., 353, 622

Saad, Z., 1157, 1165
Sadhir, R. K., 645
Saenger, K. L., 1502
Saini, D. R., 125
Sakai, T., 989
Salovey, R., 1308
Samatowicz, D., 581
Sambaru, P., 827
Samoilova, L. G., 1489
Sano, Y., 322
Santhosh, U., 901
Santos-Lemus, S., 501
Santra, R. N., 1352
Sapieha, S., 343
Sarkar, P., 368
Sasai, K., 895
Saunders, H. E., 645
Schaefer, K. U., 1009
Scholten, F. L., 1507
Schott, N. R., 1085
Schreiber, H. P., 343, 377
Schultze, J. W., 736
Schulz, E., 1438
Scott, C. E., 1065
Scott, E. P., 1157, 1165
Sdobnikova, O. A., 1489
Sebenik, A., 1212
Seferis, J. C., 75, 1177
Sehanobish, K., 1634
Sernas, V., 393
Sharma, A., 26
Shen, D., 1373
Shetty, D. G., 1611
Shi, Z. H., 1084
Shibayama, M., 772
Shigematsu, Y., 480
Siegmann, A., 1548
Siochi, E. J., 1092, 1110, 1122
Slusarz, K. R., 122
Smith, G. D., 303
Smith, T. G., 1426
Soane, D. C., 1619
Soen, T., 772
Solc, K., 1033
Sova, M., 1438
Spadaro, G., 845, 1336
Spalding, M. A., 423
Sperling, L. H., 913
Sreenivasan, K., 1366
Steen, J., 183
Steer, P., 748
Steiner, H., 1400
Stewart, M. E., 675
Stockert, D., 736
Stokes, V. K., 1381
Strebel, J. J., 217
Streltses, B. V., 1341
Su, G. W., 1502
Subramanian, N., 1204
Sun, D.-W., 132
Sun, L., 1308
Sun, T., 808
Suvorova, A. I., 1489
Suwanda, D., 455, 1585, 1592

Tadmor, Z., 227
Takenouchi, K., 1320
Tanguy, P. A., 971, 1229
Tant, M. R., 1152
Tchir, W. J., 1370
Theisen, A., 1009
Tikuisis, T., 26
Tincer, T., 1243
Tomari, K., 996
Tomizawa, T., 1540
Tong, H. M., 1502
Torma, A. E., 1509
Tran-Cong, Q., 772
Triacca, V. J., 445
Tsay, S.-Y., 709
Tseng, H. H., 504
Tsotsis, T. K., 1390
Tungare, A. V., 614
Turek, D. E., 328

Ukai, A., 996
Uno, T., 1606
Unwin, A. P., 1288

Valenza, A., 845, 944, 1336
Van Dam, J., 754
Verhoogt, H., 754
Ver Strate, G., 721
Vratsanos, L. A., 1458, 1466

Wakita, N., 781
Waldron, W. K., Jr., 1217
Wang, H.-B., 474, 1027
Wang, Y., 709
Wapenaar, K. E. D., 183
Ward, I. M., 1288
Ward, T. C., 1092, 1110, 1122, 1170
Warenghem, M., 1360
Watanabe, Y., 253
Wei, J., 1132
Weiss, R. A., 838
Wenig, W., 877
White, J. L., 923
White, J. R., 1475
Wiberg, G., 549
Wilkes, J. O., 1532
Wimberger-Friedl, R., 383
Wineman, A. S., 1217
Wippler, C., 347
Woods, J. T., 1431
Wrotecki, C., 748
Wu, C.-J., 1329
Wu, S., 289, 293

Xiao, Z. M., 1189

Yamaguchi, M., 279
Yang, L. Y., 1426
Yee, A. F., 789
Yoo, I. S., 353
Yoshii, M., 1251
Young, D., 1270
Yu, T.-Y., 474, 1027

Zaidi, S. M. J., 1644
Zhang, H., 100
Zhou, Y., 1421
Zhu, S., 445
Zuev, V. V., 889